


Kiesel
klebt am Bau®

Date of issue: 02/24/2026

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 02/24/2026

1 Identification

- Product identifier
- Trade name: Servoperl Royal
- Other means of identification
- Application of the substance / the mixture Sealing mortar
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2
D-73730 Esslingen
Germany
E-Mail:
info.canada@kiesel.com
info.usa@kiesel.com
- Information department: Laboratory, departments of enviromental protection and labor protection
- Emergency telephone number: ChemTel Expert Assiatance Hotline 800-255-2824

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.



GHS05 Corrosion

Eye damage 1 H318 Causes serious eye damage.



GHS07

Skin irritation 2 H315 Causes skin irritation.

Combustible Dust May form combustible dust concentrations in air.

- Label elements

- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS05 GHS08

- Signal word

Danger

- Hazard-determining components of labeling:

Portland Cement
 Quarz
 Titandioxid

- Hazard statements

Causes skin irritation.
 Causes serious eye damage.
 May cause cancer.

- Precautionary statements

May form combustible dust concentrations in air.
 Do not handle until all safety precautions have been read and understood.
 Wash thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 1)

If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

- Information pertaining to particular dangers for man and environment:
- Classification system:
- NFPA ratings (scale 0 - 4)



Health = 3
 Fire = 0
 Reactivity = 0

- HMIS-ratings (scale 0 - 4)



Health = *3
 Fire = 0
 Reactivity = 0

- Classification according to (d)(1)(ii) of § 1910.1200
- Hazards not otherwise classified

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- Composition/Information on ingredients
- Chemical characterization: Mixtures

- Dangerous components:

CAS: 14808-60-7	Quarz (SiO ₂) ⚠ Carcinogenicity 1A, H350
CAS: 65997-16-2	Calcium Aluminate Cement ⚠ Skin irritation 2, H315; Eye irritation 2A, H319
CAS: 14808-60-7	Quarz Consisting of: 14808-60-7 Quarz (>98%); 14808-60-7 Quarz (Feinfraktion) (1-10%) ⚠ Carcinogenicity 1A, H350
CAS: 10034-76-1	Calciumsulfat-Halbhydrat
CAS: 65997-15-1	Portland Cement ⚠ Eye damage 1, H318 ⚠ Skin irritation 2, H315; Specific target organ toxicity (single exposure) 3, H335
CAS: 13463-67-7	Titandioxid
CAS: 21645-51-2	Aluminiumhydroxid
CAS: 14807-96-6	Talkum ⚠ Carcinogenicity 1B, H350

- Additional information: The content of titanium dioxide (13463-67-7) with a particle size of < 10 µm is < 1%

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- General information: **Immediately remove any clothing soiled by the product. If you feel unwell, seek medical advice.**
- After inhalation: **In case of unconsciousness place patient stably in side position for transportation. Seek medical treatment in case of complaints.**
- After skin contact: **Immediately wash with water and soap and rinse thoroughly.**
- After eye contact: **Rinse opened eye for several minutes under running water. Then consult a doctor.**
- After swallowing: **rinse out mouth**
- Most important symptoms and effects, both acute and delayed: **No further relevant information available.**
- Indication of any immediate medical attention and special treatment needed: **No further relevant information available.**

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: **The product itself does not burn. CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam. Use fire fighting measures that suit the environment.**
- For safety reasons unsuitable extinguishing agents: **Water with full jet**
- Special hazards arising from the substance or mixture: **Formation of toxic gases is possible during heating or in case of fire.**
- Advice for firefighters
- Protective equipment: **Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.**

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: **Not required**
- Environmental precautions: **No special measures required.**
- Methods and material for containment and cleaning up: **Use neutralizing agent. Dispose contaminated material as waste according to section 13. Pick up mechanically.**
- Protective Action Criteria for Chemicals

· PAC-1:

CAS: 14808-60-7 Quarz

0.075 mg/m3

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 3)

CAS: 13463-67-7	Titandioxid	30 mg/m ³
CAS: 1317-61-9	IRON OXIDE	21 mg/m ³
CAS: 21645-51-2	Aluminiumhydroxid	8.7 mg/m ³
CAS: 69012-64-2	Microsilica Pulver	45 mg/m ³
CAS: 497-19-8	Soda leicht, Natriumcarbonat	7.6 mg/m ³
CAS: 554-13-2	Lithiumcarbonat	1.0 mg/m ³
CAS: 557-05-1	Zinkstearat	30 mg/m ³
CAS: 6381-59-5	Kalium-Natrium-Tartrat	12 mg/m ³
CAS: 7320-34-5	Tetrakaliumdiphosphat	61 mg/m ³

· PAC-2:

CAS: 14808-60-7	Quarz	8.3 mg/m ³
CAS: 13463-67-7	Titandioxid	330 mg/m ³
CAS: 1317-61-9	IRON OXIDE	230 mg/m ³
CAS: 21645-51-2	Aluminiumhydroxid	73 mg/m ³
CAS: 69012-64-2	Microsilica Pulver	500 mg/m ³
CAS: 497-19-8	Soda leicht, Natriumcarbonat	83 mg/m ³
CAS: 554-13-2	Lithiumcarbonat	11 mg/m ³
CAS: 557-05-1	Zinkstearat	330 mg/m ³
CAS: 6381-59-5	Kalium-Natrium-Tartrat	130 mg/m ³
CAS: 7320-34-5	Tetrakaliumdiphosphat	680 mg/m ³

· PAC-3:

CAS: 14808-60-7	Quarz	50 mg/m ³
CAS: 13463-67-7	Titandioxid	2000 mg/m ³
CAS: 1317-61-9	IRON OXIDE	1400 mg/m ³
CAS: 21645-51-2	Aluminiumhydroxid	440 mg/m ³
CAS: 69012-64-2	Microsilica Pulver	3000 mg/m ³
CAS: 497-19-8	Soda leicht, Natriumcarbonat	500 mg/m ³
CAS: 554-13-2	Lithiumcarbonat	68 mg/m ³
CAS: 557-05-1	Zinkstearat	2000 mg/m ³
CAS: 6381-59-5	Kalium-Natrium-Tartrat	790 mg/m ³
CAS: 7320-34-5	Tetrakaliumdiphosphat	1200 mg/m ³

- Reference to other sections See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling Thorough dedusting.
 Keep receptacles tightly sealed.
 Ensure good ventilation/exhaustion at the workplace.
 Avoid contact with skin and eyes.
 Do not breathe dust.
 Breathing apparatus only if aerosol or dust is formed.
 protected above to humidity
- Information about protection
 against explosions and fires: No special measures required.

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 4)

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters
 - Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 14808-60-7 Quarz (SiO₂)

PEL Long-term value: 0.05* mg/m³
*resp. dust; 30mg/m³/‰SiO₂+2

REL Long-term value: 0.05* mg/m³
*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³
*respirable particulate matter, A2

CAS: 14808-60-7 Quarz

PEL Long-term value: 0.05* mg/m³
*resp. dust; 30mg/m³/‰SiO₂+2

REL Long-term value: 0.05* mg/m³
*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³
*respirable particulate matter, A2

CAS: 10034-76-1 Calciumsulfat-Halbhydrat

TLV Long-term value: 10* mg/m³
*as inhalable fraction

CAS: 65997-15-1 Portland Cement

PEL Long-term value: 50 mppcf or 15* 5** mg/m³
*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

TLV Long-term value: 1* mg/m³
E; *as respirable fraction, A4

CAS: 13463-67-7 Titandioxid

PEL Long-term value: 15* mg/m³
*total dust

REL See Pocket Guide App. A

TLV Long-term value: 0.2* 2.5** mg/m³
resp. fraction, *nanoscale,**finescale, A3

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 5)

CAS: 21645-51-2 Aluminiumhydroxid

REL Long-term value: 2 mg/m³
as Al

CAS: 14807-96-6 Talkum

PEL Long-term value: 20 mppcf ppm
(containing <1% Quartz)REL Long-term value: 2* mg/m³
respirable dust; and <1% QuartzTLV Long-term value: 2 mg/m³
*no asbestos fibers, resp. particulate matter, E, A4

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Suitable respiratory protection for low concentrations or short-term exposure: particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles))
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Breathing apparatus only if aerosol or dust is formed.
- **Protection of hands:** Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Rubber gloves
- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Physical state** Solid
- **Color:** According to product specification
- **Odor:** Light
- **Odor threshold:** Not determined
- **Melting point/Melting range:** undetermined
- **Boiling point/Boiling range:** nicht anwendbar
- **Flammability:** Not determined
- **Explosion limits:**
- **Lower:** Not determined
- **Upper:** Not determined

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 6)

· Flash point:	Not applicable
· Decomposition temperature:	Not determined
· pH-value at 20 °C (68 °F):	12 (5%)
· Viscosity:	
· Kinematic:	Not applicable
· Dynamic:	Not applicable
· Solubility in / Miscibility with	
· Water:	is setting hydraulically
· Partition coefficient (n-octanol/water):	Not determined
· Vapor pressure:	Not applicable
· Vapor pressure:	
· Density at 20 °C (68 °F):	1.5 g/cm ³ (12.5175 lbs/gal)
· Relative density	Not determined
· Vapor density	Not applicable
· Particle characteristics	Not determined
· Other information	
· Appearance:	
· Form:	Powder
· AUTO IGNITION:	Not self igniting
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· VOC-Content	0.00 %
· Solids content:	96.2-99 %
· Volatile Organic Compounds	0 g/l
· Change in condition	
· Evaporation rate	Not applicable.

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
· Possibility of hazardous reactions	No dangerous reactions known.
· Conditions to avoid	No further relevant information available.
· Incompatible materials:	No further relevant information available.
· Hazardous decomposition products:	No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 10034-76-1 Calciumsulfat-Halbhydrat

Oral	LD50	>2,000 mg/kg (Rat)
------	------	--------------------

CAS: 13463-67-7 Titandioxid

Oral	LD50	>10,000 mg/kg (Rat)
------	------	---------------------

Dermal	LD50	>10,000 mg/kg (-)
--------	------	-------------------

Inhalative	LC50/4 h	>5 mg/l (-)
------------	----------	-------------

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 7)

CAS: 21645-51-2 Aluminiumhydroxid

Oral	LD50	>2,000 mg/kg (Rat)
------	------	--------------------

- Primary irritant effect:

- on the skin:

Irritant to skin and mucous membranes.

- on the eye:

Strong irritant with the danger of severe eye injury.

- Sensitization:

No sensitizing effects known.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- Interactive effects

No interactive effects between components are known.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

CAS: 14808-60-7	Quarz	1
CAS: 13463-67-7	Titandioxid	2B
CAS: 69012-64-2	Microsilica Pulver	3
CAS: 14807-96-6	Talkum	2A

- NTP (National Toxicology Program)

CAS: 14808-60-7	Quarz	K
-----------------	-------	---

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

- Toxicity

- Aquatic toxicity:

No further relevant information available.

- Persistence and degradability

No further relevant information available.

- Bioaccumulative potential

No further relevant information available.

- Mobility in soil

No further relevant information available.

- Results of PBT and vPvB assessment

- PBT:

Not applicable

- vPvB:

Not applicable

- Other adverse effects

- Additional ecological information:

- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 8)

13 Disposal considerations

- **Waste treatment methods** *Must be forwarded for special treatment in accordance with local authority regulations, e.g. suitable incineration plant.*
- **Recommendation:** *Disposal in accordance with official regulations*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** *Void*
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** *Void*
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** *Void*
- **Packing group**
- **DOT, ADR, IMDG, IATA** *Void*
- **Environmental hazards:**
- **Marine pollutant:** *No*
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable*
- **Transport/Additional information:** *Not dangerous according to the above specifications.*
- **Special precautions for user** *Not applicable*
- **UN "Model Regulation":** *Void*

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

- **Section 313 (Specific toxic chemical listings):**

CAS: 554-13-2 Lithiumcarbonat

CAS: 557-05-1 Zinkstearat

- **TSCA (Toxic Substances Control Act):**

CAS: 65997-16-2 Calcium Aluminate Cement **ACTIVE**CAS: 14808-60-7 Quarz **ACTIVE**CAS: 65997-15-1 Portland Cement **ACTIVE**CAS: 13463-67-7 Titandioxid **ACTIVE**CAS: 1317-61-9 IRON OXIDE **ACTIVE**CAS: 21645-51-2 Aluminiumhydroxid **ACTIVE**

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 9)

CAS: 69012-64-2	Microsilica Pulver	ACTIVE
CAS: 14807-96-6	Talkum	ACTIVE
CAS: 497-19-8	Soda leicht, Natriumcarbonat	ACTIVE
CAS: 554-13-2	Lithiumcarbonat	ACTIVE
CAS: 557-05-1	Zinkstearat	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

CAS: 14808-60-7 Quarz (SiO₂)

CAS: 14808-60-7 Quarz

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 554-13-2 Lithiumcarbonat

· New Jersey Right-to-Know List:

CAS: 14808-60-7 Quarz

CAS: 65997-15-1 Portland Cement

CAS: 13463-67-7 Titandioxid

CAS: 69012-64-2 Microsilica Pulver

CAS: 14807-96-6 Talkum

CAS: 554-13-2 Lithiumcarbonat

CAS: 557-05-1 Zinkstearat

· New Jersey Special Hazardous Substance List:

CAS: 14808-60-7 Quarz CA

CAS: 14807-96-6 Talkum CA

CAS: 554-13-2 Lithiumcarbonat TE

· Pennsylvania Right-to-Know List:

CAS: 14808-60-7 Quarz

CAS: 65997-15-1 Portland Cement

CAS: 13463-67-7 Titandioxid

CAS: 14807-96-6 Talkum

CAS: 557-05-1 Zinkstearat

· Pennsylvania Special Hazardous Substance List:

CAS: 557-05-1 Zinkstearat E

· Cancerogenity categories

· EPA (Environmental Protection Agency)

CAS: 557-05-1 Zinkstearat D, I, II

· TLV (Threshold Limit Value)

CAS: 14808-60-7 Quarz A2

CAS: 13463-67-7 Titandioxid A4

CAS: 14807-96-6 Talkum A4

· MAK (German Maximum Workplace Concentration)

CAS: 14808-60-7 Quarz 1

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 10)

CAS: 13463-67-7	Titandioxid	3A
CAS: 14807-96-6	Talkum	3B
· NIOSH-Ca (National Institute for Occupational Safety and Health)		
CAS: 14808-60-7	Quarz	
CAS: 13463-67-7	Titandioxid	
· GHS label elements	The product is classified and labeled according to the Globally Harmonized System (GHS).	
· Hazard pictograms	  GHS05 GHS08	
· Signal word	Danger	
· Hazard-determining components of labeling:	Portland Cement Quarz Titandioxid	
· Hazard statements	Causes skin irritation. Causes serious eye damage. May cause cancer. May form combustible dust concentrations in air.	
· Precautionary statements	Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.	
· National regulations:		
· Information about limitation of use:	Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases. Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.	
· Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.	

16 Other information

To the best of our knowledge, the information contained in this SDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this SDS relate only to the specific material designated herein. We do not assume any liability for the use, or reliance in this information, nor do we guarantee its accuracy or completeness.

- Department issuing SDS: Health protection and safety
- Date of previous version: 02/16/2026

(Contd. on page 12)

US

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 02/24/2026

Reviewed on 02/24/2026

Trade name: Servoperl Royal

(Contd. of page 11)

- **Version number of previous version:** 36
- **Date of preparation** 02/24/2026
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMIS: Hazardous Materials Identification System (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Skin irritation 2: Skin corrosion/irritation – Category 2
 - Eye damage 1: Serious eye damage/eye irritation – Category 1
 - Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
 - Carcinogenicity 1A: Carcinogenicity – Category 1A
 - Carcinogenicity 1B: Carcinogenicity – Category 1B
 - Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3
- *** Data compared to the previous version altered.**

US